

CSC 1100 – Problem Solving and Programming Using Visual Studio and Visual C++

This document is for users of **Visual Studio** and **Visual C++**. There may be variations of the instructions for different Visual Studio versions.

Table of Contents

Getting Visual Studio.....	3
Running Visual Studio	3
Creating a Visual C++ CLR console application	3
Copying code from a .cpp file to a into an empty source file.....	4
Renaming a .cpp file	4
Switching .cpp files.....	4
Opening a Visual Studio project.....	4
Opening a Visual C++ source code file.....	4
Changing the code font	4
Showing line numbers.....	5
Showing the Solution Explorer pane	5
Showing the Toolbox	5
Setting <i>Load last loaded solution</i> option on startup	5
Setting Build and Run options	5
Running an application without the debugger	6
Running an application with the debugger	6
Setting/clearing a Visual C++ program breakpoint.....	6
Starting the debugger and stepping through code.....	7
Showing/hiding windows while the debugger is running.....	7
Halting an application running the debugger.....	7
Halting an application not running the debugger.....	7
Copying-and-pasting Visual C++ code to a Word document.....	7
Printing Visual C++ code.....	7
Changing the font, layout, and colors of the console window.	7
Copying-and-pasting Visual C++ console application output to a Word document.	8
Keyboard shortcuts	8


**CSC 1100 – Problem Solving and Programming
Using Visual Studio and Visual C++**

CSC 1100 – Problem Solving and Programming Using Visual Studio and Visual C++

Getting Visual Studio

Visual Studio is available at apps.eng.wayne.edu/MPStudents/Dreamspark.aspx:

- 1) Login with your WSU credentials.
- 2) Click Developer Tools on left.
- 3) For Windows users, select **Visual Studio Community 2017**. For Mac OS users, select **Visual Studio for Mac**.
- 4) Follow the instructions to install the **Visual Studio** download. Select workload **Desktop development with C++** when the following screen appears:



Running Visual Studio

- 1) Open the Start menu.
- 2) Navigate to and select **Visual Studio**.

Creating a Visual C++ CLR console application

- 1) Create file **<source>.cpp** in your code library folder. This is typically done by copying from an existing .cpp file like C++Template.cpp, Lab01.cpp, etc.
- 2) From the Visual Studio screen, select **File / New / Project ...**
- 3) From the New Project screen:
 - a) Select **Visual C++ / CLR / CLR Empty Project**.
 - b) Enter a Name for the project (leave Solution Name the same).
 - c) Select a Location for the project.
 - d) Click **OK**.

CSC 1100 – Problem Solving and Programming Using Visual Studio and Visual C++

- 4) From the Visual Studio project screen, Solution Explorer pane, right-click **Source Files**, and select **Add / Existing Item ...**
- 5) From the Add Existing Item screen, navigate to file <source>.cpp (the file created in step 1), and click **Add**.

Copying code from a .cpp file to a into an empty source file

- 1) From the Visual Studio project screen, select **Edit / Insert File As Text ...**
- 1) From the Visual Studio project screen, select **Edit / Insert File As Text ...**
- 6) From the Insert File screen, navigate to a previously stored .cpp file (C++Template.cpp, Source.cpp, Lab1.cpp, etc.), select it, and click **Open**.
- 7) Complete the header comment.

Renaming a .cpp file

From the Visual Studio project screen, Solution Explorer pane, right-click the .cpp file, select **Rename**, enter the new name, and press **ENTER**.

Switching .cpp files

In CSC 1101, **it is only necessary to have one .cpp file per console application**. It appears under folder Source Files. One .cpp file may be switched with another.

- 1) From the Visual Studio project screen, Solution Explorer pane, right-click the .cpp file, and click **Remove**.
- 2) From the Visual Studio project screen, Solution Explorer pane, right-click **Source Files**, and select **Add / Existing Item ...**
- 3) From the Add Existing Item screen, navigate to a .cpp file, select it, and click **Add**.

Opening a Visual Studio project

- 1) From the Visual Studio screen, select **File / Open Project ...**
- 2) From the Open Project screen, navigate to the project directory, select its solution file (*.sln), and click **Open**.

Opening a Visual C++ source code file

From the Solution Explorer pane, under folder Source Files, double-click the .cpp file. Never open a .cpp file outside its project: first, open its project, second open the file.

Changing the code font

- 1) From the Visual Studio screen, select **Tools / Options ...**

CSC 1100 – Problem Solving and Programming Using Visual Studio and Visual C++


- 2) From the Options screen, select **Environment / Fonts and Colors**, and modify font settings.
- 3) From the Options screen, click **OK**.

Showing line numbers

- 1) From the Visual Studio screen, select **Tools / Options ...**
- 2) From the Options screen, select **Text Editor / All Languages / Line Numbers**.
- 3) From the Options screen, click **OK**.

Showing the Solution Explorer pane

From the Visual Studio screen, select **View / Solution Explorer**.



Showing the Toolbox

From the Visual Studio screen, select **View / Toolbox**.

Setting *Load last loaded solution* option on startup

To save time when opening Visual Studio with your last project open, set the following option:

- 1) From the Visual Studio screen, select **Tools / Options ...**
- 2) From the Options screen, select **Environment / Startup**.
- 3) From the Options screen, for option **At startup:**, select option **Load last loaded solution**, and click **OK**.


Setting Build and Run options

To save time when building and running an application, set the following options:

- 1) From the Visual Studio screen, select **Tools / Options ...**
- 2) From the Options screen, select **Projects and Solutions / Build and Run**.

CSC 1100 – Problem Solving and Programming Using Visual Studio and Visual C++

- 3) From the Options screen, for option **On Run**, when projects are out of date:, select option **Always build**.
- 4) From the Options screen, for option **On Run**, when build or deployment errors occur:, select option **Do not launch**.
- 5) From the Options screen, click **OK**.



Running an application without the debugger

Press **CTRL-F5**.

Running an application with the debugger


Press **F5**.

Setting/clearing a Visual C++ program breakpoint

Click in the left margin of any statement.

OR

- 1) Click any statement.
- 2) Press **F9**.



CSC 1100 – Problem Solving and Programming Using Visual Studio and Visual C++

Starting the debugger and stepping through code

Press **SHIFT-F8** (step over).

OR

Press **F8** (step into function).

Showing/hiding windows while the debugger is running

- 1) Click **Debug / Windows**.
- 2) Click window type including:
 - Autos
 - Breakpoints
 - Call Stack
 - Immediate
 - Locals
 - Output
 - Watch 1, Watch 2, Watch 3, Watch 4

Halting an application running the debugger

Press **CTRL-ALT-BREAK** or click **Stop Debugging** icon.



Halting an application not running the debugger

- At a program prompt or during an infinite loop, press **CTRL-ALT-PAUSE**.

Copying-and-pasting Visual C++ code to a Word document

- 1) From within the Visual C++ program, press **CTRL-A** and press **CTRL-C**.
- 2) From within the Word document, press **CTRL-V**.

Printing Visual C++ code

- 1) From the Visual C++ screen, select **File / Print ...**
- 2) From the Print screen, click **OK**.

Changing the font, layout, and colors of the console window.

- 1) From the console window, right-click the title bar, and click **Properties**.
- 2) From the console properties screen, click tab **Font**. Make any desired changes to the font settings.

CSC 1100 – Problem Solving and Programming Using Visual Studio and Visual C++

- 3) From the console properties screen, click tab **Layout**. Make any desired changes to the **Window Size** settings.
- 4) From the console properties screen, click tab **Colors**. Set the colors so that there is good contrast between the screen text and background. Set the **Screen Text** to a dark/light color, and the **Screen Background** to a light/dark color.
- 5) From the console properties screen, click **OK**.

Copying-and-pasting Visual C++ console application output to a Word document

- 1) From the Visual C++ console, press **ALT-PrintScreen**.
- 2) From within the Word document, press **CTRL-V**.

Keyboard shortcuts

Keyboard Shortcuts (not a complete list)	
Shortcut	Purpose
CTRL-C	Copy selected text, or position cursor anywhere in line, and copy it to Windows clipboard.
CTRL-End	Move cursor to end of document.
CTRL-F	Open find portion of Find and Replace dialog.
CTRL-H	Open replace portion of Find and Replace dialog.
CTRL-Home	Move cursor to start of document.
CTRL-Left arrow	Move cursor left one word/token.
CTRL-Right arrow	Move cursor right one word/token.
CTRL-SHIFT-Left arrow	Add to selection the next word/token to left.
CTRL-SHIFT-Right arrow	Add to selection the next word/token to right.
CTRL-V	Paste selection from Windows clipboard.
CTRL-X	Cut selected text, or position cursor anywhere in line, and cut it to Windows clipboard.
CTRL-Y	Redo last undo.
CTRL-Z	Undo last edit.